



JustLanded for WordPress

Reference for Developers

– Updated for v1.3.0 –

If you need any assistance, please contact support@shapingrain.com. We do provide free support for all our products, but as per our support policy, we do not provide support through the comments section on themeforest.

Options for Custom CSS Code

You can either use the theme's Custom CSS option (see User Manual for reference), or use one of the following methods to overwrite CSS. Editing the style.css core file is highly discouraged as it makes updating the core theme impossible without data loss

Create a style.custom.css File

Create a file style.custom.css in the theme's main folder with your own CSS instructions. This file will be loaded after style.css and enables you to overwrite the existing styles.

Create a Child Theme

Alternatively, you can use a child theme. JustLanded ships with an empty child theme skeleton to get you started. You can add your custom styles to the style.css in the child theme's directory and then activate the child theme rather than the main theme.

Create a Plug-in

You can create a function `justlanded_enqueue_custom_stylesheet` in either a child theme or in a plug-in that enqueues a custom stylesheet in lieu of style.custom.css.

Alternatively, hook into `justlanded_before_dynamic_css` or `justlanded_after_dynamic_css` to add your custom CSS before or after the theme's own custom CSS code.

Landing Page Block Reference

The following functions exist to overwrite default landing page blocks. This is useful if you need to modify a block but don't want to lose the ability to update the theme.

An example plug-in ships with JustLanded that demonstrates how to overwrite the call to action buttons.

A landing page block function's name consists of the prefix `justlanded_block_` followed by the block's type.

The following types are supported:

`big_testimonial`

`big_testimonial_slider`

`small_testimonials`

`newsletter`

`comments`

`cta_buttons`

`button`

`features`

`gallery`

`payment`

`pricing_table`

`posts`

Therefore, creating a function `justlanded_block_big_testimonial` will overwrite the existing template for the Featured Testimonial block.

If your intention is not to replace but to add or prepend content to an existing block, you can use any of the `justlanded_after_block_<type>` or `justlanded_before_block_<type>` to do just that. There are also generic functions `justlanded_after_block_template` and `justlanded_before_block_template` you could hook into if you would like to append or prepend content to every block, no matter the type.

Block Replacement Shortcodes (experimental)

Since JustLanded for WordPress 1.3.0, a new shortcode can be used to replace and add to (before or after) individual theme sections, per profile.

```
[custom_block id="block_id_goes_here"]  
content goes here  
[/custom_block]
```

These shortcodes go into General Settings → Custom Codes → Execute Shortcodes (No Output).

The file custom.php contains further information about the supported block IDs in its comments. The following IDs are known as of 1.3.0:

```
justlanded_before_head  
justlanded_head_above_banner  
justlanded_top_contact  
justlanded_logo  
justlanded_top_menu  
justlanded_after_top_menu  
justlanded_after_head  
justlanded_before_block_template  
justlanded_after_block_template  
justlanded_before_page_banner  
justlanded_after_page_banner  
justlanded_banner  
justlanded_before_banner  
justlanded_after_banner  
justlanded_banner_full  
justlanded_banner_media_image  
justlanded_banner_media_slider  
justlanded_banner_media_video  
justlanded_banner_media_freeform  
justlanded_page_banner  
justlanded_before_footer  
justlanded_after_footer  
justlanded_before_footer_text
```

```
justlanded_after_footer_text  
justlanded_footer_menu  
justlanded_footer
```

If, for instance, you wish to completely remove the header, you can use the following shortcode:

```
[custom_block id="justlanded_head_above_banner"]  
[/custom_block]
```

As there is no content, the header will not be rendered.

If you want to replace the contact section of the header, you would use:

```
[custom_block id="justlanded_top_contact"]  
<aside id="phone" class="one_third last">This is my own  
content.</aside>  
[/custom_block]
```

We will add more of these IDs while we fully implement this feature, which is intended to make custom development easier.

Additional Replacement Functions

JustLanded provides further hooks (via `add_action`) to replace built-in content blocks or to append or prepend content.

`justlanded_before_head`

`justlanded_head_above_banner`

`justlanded_top_menu`

`justlanded_top_contact`

`justlanded_head_above_banner`

`justlanded_after_head`

`justlanded_banner`

`justlanded_banner_media_image`

`justlanded_banner_media_slider`

`justlanded_before_banner_media_slider`

`justlanded_after_banner_media_slider`

`justlanded_banner_media_video`

`justlanded_banner_media_freeform`

`justlanded_action_button1_modal`

`justlanded_action_button2_modal`

`justlanded_before_footer_text`

`justlanded_after_footer_text`

`justlanded_after_body`

`justlanded_before_dynamic_css_output`

`justlanded_dynamic_css_after_fonts_init`

`justlanded_after_dynamic_css_output`